9000013

TO ALL TO WHOM THESE PRESENTS SHALL COME: Thio Agricultural Research and Development Center Ohio State University and USDA-ARS

Colhereus, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, (THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT ETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. E UNITED STATES SEED OF THIS VARIETY (1) SHALL BE SOLD BY VARIETY NAME ONLY AS OF CERTIFIED SEED AND (2) SHALL CONFORM TO THE NUMBER OF GENERATIONS BY THE OWNER OF THE RIGHTS. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

(*Waived, except that this waiver shall not apply to breeder seed, oundation seed, labeling requirements, and blending limitations.)

'Hobbit 87'

In Testimony Wathereof, I have hereunto set my hand and caused the seal of the Blant Variety Protection Office to be affixed Washington, D.C.

day of February the year of our Lord one thousand nine hundred and ninety-two.

flward Madigin

U.S. DEPARTMENT	OF AGRICUL	TURE		FOR	W APPROV	D: OMB NO. 0581-0055				
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE						Application is required in order to determine				
ADDITO ATTION FOR DI ANTILAD	if a p	if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is								
AT EXAMINATION TO ATTEMPT AND THE TOTAL TO						held confidential until certificate is issued (7 U.S.C. 2426).				
1. NAME OF APPLICANT(S)	EMPORARY DESIGNATION		ARIETY NA	ME						
Ohio Agricultural Research an Development Center and USDA-A			HC Hobbit BC		Hobbit 87					
4. ADDRESS (Street and No. or R.F.D. No., City, Sta	ite, and Zip Code	<i>e)</i> 5. P	HONE (Include area code)			CIAL USE ONLY				
Ohio Agricultural Research ar		, ,	16 060 0075	PVPC	PVPO NUMBER					
Development Center, Wooster,	OH 4469	1 2	16-263-3875		9(000013				
6. GENUS AND SPECIES NAME	7. FAMILY N	IAME (E	iotanical)	9	DATE	16 1989				
Glycine max	Tomas			FILING	TIME					
GlyCine max	Legumi	inosa	losae		1:45	A.M. P.M.				
8. KIND NAME		9. DAT	E OF DETERMINATION			FOR FILING 00 350 00				
Soybeans		2	/15/87	J	DATE	2				
			/13/6/	RECEIVED	Oct. 1	61989. Ylov. 24,				
 IF THE APPLICANT NAMED IS NOT A "PERSO partnership, association, etc.) 	N," GIVE FOR	M OF C	RGANIZATION (Corporation	SR	AMOUNT	POR CERTIFICATE				
				FEES	DATE	~				
Agricultural Experiment Stati	on				Jan	~ 13,1992				
11. IF INCORPORATED, GIVE STATE OF INCORP	ORATION			12, [DATE OF IN	ICORPORATION				
13. NAME AND ADDRESS OF APPLICANT REPRE	SENTATIVE(S)), IF AN	Y, TO SERVE IN THIS APPLI	CATIO	N AND REC	CEIVE ALL PAPERS				
Dr. Richard L. Cooper, Depar	tment of	Agra	nomy							
Ohio Agricultural Research a		_								
Wooster, OH 44691		•	PHONE (Include ar	ea code	y: 216–2	63-3875				
14. CHECK APPROPRIATE BOX FOR EACH ATTA	CHMENT SUBN	WITTED								
a. Exhibit A, Origin and Breeding History o	f the Variety (S	See Secti	ion 52 of the Plant Variety Pr	otectio	n Act.)	•				
b. Exhibit B, Novelty Statement. c. Exhibit C. Objective Description of Varie	tu /Daguart for	f	Diant Variaty Protestion Offi	ica l	•					
 c. Exhibit C, Objective Description of Varie d. Exhibit D, Additional Description of Var. 		m jiom	Funt variety Protection Offi	,						
e. Exhibit E, Statement of the Basis of App.	•	hip.								
15. DOES THE APPLICANT(S) SPECIFY THAT SEE SEED? (See Section 83(a) of the Plant Variety Pr		RIETY	BE SOLD BY VARIETY NAM X Yes (If "Yes," answer			_				
16. DOES THE APPLICANT(S) SPECIFY THAT THI LIMITED AS TO NUMBER OF GENERATIONS?			17. IF "YES" TO ITEM 16, BEYOND BREEDER SE	WHICH ED?	CLASSES	F PRODUCTION				
X Yes No		:	X Foundation	_	egistered	X Certified				
18. DID THE APPLICANT(S) PREVIOUSLY FILE	FOR PROTEC	TION	OF THE VARIETY IN THE U	J.S.?		Yes (If "Yes," give date)				
						7 ES (11 7 ES, 9170 GG10)				
					X	No				
19. HAS THE VARIETY BEEN RELEASED, OFFE	RED FOR SAL	E, OR I	MARKETED IN THE U.S. OF	OTH	R COUNT	RIES ? Yes (If "Yes," give names				
USA January 1, 1989					L	of countries and dates)				
						No				
20. The applicant(s) declare(s) that a viable samplenished upon request in accordance with s				d with	the applica	ation and will be re-				
The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in S Variety Protection Act.	ner(s) of this s ection 41, and	sexually I is enti	reproduced novel plant va tled to protection under th	riety, a	and believe isions of S	(s) that the variety is ection 42 of the Plant				
Applicant(s) is (are) informed that false repr	esentation her	rein can	jeopardize protection and	result	in penaltie	S.				
SIGNATURE OF APPLICANT				C	ATE					
Richard L Coopse	1 -				Moy	3,1989				
SIGNATURE OF APPLICANT				C	ATE U					
						1				
				*		y				

Origin and Breeding History of the Variety

Hobbit 87 soybean [Glycine max (L.) Merr.] is a Phytophthora resistant version of Hobbit developed by backcrossing the Rps, ~ gene from Williams 82 into Hobbit. The initial cross between Hobbit and Williams 82 was made in 1979 by R. L. Cooper, USDA-ARS Soybean Breeder, at the Ohio Agricultural Research and Development Center, Wooster. Using Hobbit as the recurrent parent, Phytophthora resistant (Race 5) F₁ and BCF₁ (or BCF₂) plants were backcrossed to Hobbit for five generations to obtain the Hobbit genotype containing the Rps gene. This procedure is outlined below:

1979 Field-Initial cross of Hobbit X Williams 82

1979 Fall Greenhouse-Hobbit X F₁ 1980 Spring Greenhouse-Hobbit X resistant BCF₁

1981 Spring Greenhouse-Hobbit X resistant BC2 F2

1981 Field-Hobbit X resistant BC₂F₁

1981 Fall Greenhouse-Hobbit X rešistant BC, F,

1982 Field-Planted 20 BC_5F_1s

The 20 BC₅F₁ plants were single plant threshed and their progeny (20 F₂ plants/F₁) were screened againsst Race 5 of Phytophthora root rot in the 1982 Fall Greenhouse to identify resistant BC₅F₂ plants. The resistant (R_{_}) plants were progeny tested in the BC₅F₃ in the 1983 Field to identify homozygous resistant (RR) BC₅F₂ plants. Fourteen homozygous resistant BC₅F₂-derived lines were identified. This resistance was confirmed in the 1983 Fall Greenhouse and these 14 lines were planted in the field in 1984 in 4-row, 20-foot plots with 2 replications for yield testing. The 8 lines highest in yield and most similar to Hobbit in other agronomic characteristics, were advanced for a second year of yield testing in replicated 4-row plots in 1985. These 8 lines were bulked to form HC Hobbit BC and entered in the Uniform Test III, Northern States in 1986 and yield tested, in comparison with the recurrent parent, Hobbit, in Iowa, Illinois, Indiana, Kansas, Kentucky, Missouri, Nebraska, New Jersey, Ohio, Pennsylvania, South Dakota and Ontario, Canada. Breeder's Seed increase (1 hectare) of HC Hobbit BC was also planted by Ohio Foundation Seeds at Croton, OH in 1986 to produce 2700 kg of seed in anticipation of potential release. HC Hobbit BC was released in 1987 and Breeder's Seed was distributed to the releasing states of Ohio, Illinois, Indiana, Iowa, Nebraska and Missouri. HC Hobbit BC was named Hobbit 87 in accordance with Regional policy to identify the year of release of a Phytopthora resistant backcross version of an existing variety. Publicity release was September 1, 1988.

Variants observed during the development of this variety were few. the 1986 increase of Breeder's Seed, no variants were observed except for those few that might be traced back to slight admixtures resulting from incomplete combine clean out and these plants were rogued out. Variants resulting in future generations should be within allowable Certification maximums.

Exhibit B

Novelty Statement and Botanical Description of the Variety

Hobbit 87 is determinate (dt₁dt₁) semidwarf variety of mid-Group III maturity. Hobbit 87 can be distinguished from all other Group III indeterminate (Dt₁Dt₁) varieties by its determinate growth habit which results in an abrupt termination in further plant height increase shortly after the onset of flowering and a terminal cluster of flowers and pods. It can be distinguished from all other determinate semidwarf varieties, except Gnome 85 and Sprite 87 by its resistance to multiple races of Phytophthora root rot (races 1 thru 10, 13, 14, 15, 17, 18, 21 and 22), due to the presence of the Rps₁ gene. It can be distinguished from Gnome 85 by its later maturity (5 days later than Gnome 85) and white flowers. Gnome 85 has purple flowers. Hobbit 87 can be distinguished from Sprite 87 by its more slender plant type (slender versus bushy), smaller seed size (15.6 gms versus 16.7 gms/100 seed) and absence of (or very low) peroxidase activity in the seed coat compared to high peroxidase activity in the seed coat of Sprite 87.

Like all determinate semidwarf varieties, Hobbit 87 was developed specifically for high yield environments where early lodging frequently limits the yield of taller indeterminate varieties. Because of its smaller plant type and greater lodging resistance, Hobbit 87 is especially responsive to narrow rows (solid-seeding in 17- to 25-cm row widths) and high seeding rates (562,000 to 750,000 seed/hectare in 17-cm rows). Although Hobbit 87 will yield well in 75-cm row widths, it is recommended for solid-seeding to maximize yields.

Hobbit 87 has white flowers, tawny (or brown) pubescence, tan pods and yellow seeds with a black hilum

Most Similar Variety

The variety most similar to Hobbit 87 is Hobbit but Hobbit 87 can readily be distinguished from Hobbit by its resistance to multiple races of Phytophthora root rot. Hobbit has no known resistance to specific races of Phytophthora root rot.

Uniform Regional Tests III, 1986 (Mean of 19 locations)

		Matur-			Seed	Seed	Composition	
Variety	Yield	ity	Lodging	Height	Quality	Size	Protein	0il
	(bu/A)	(data)	(score) ¹	(inches)	(score)2	g/100		
Hobbit 87	51.1	9-19	1.3	22	1.9	15.6	38.2	22.2
Hobbit	49.5	9-18	1.2	20	1.9	15.7	37.8	22.9

 $^{1 = \}text{erect}$, 5 = prostrate 2 = very good, 5 = very poor

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

EXHIBIT C (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY

SOY	BEAN (Glycine max L.)	•	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATIO	N VARIETY NAME	·····
Ohio Agricultural Research and	:		=
Development Center and USDA-ARS	HC Hobbit BC	Hobbit 87	
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip		FOR OFFICIAL US	ONLY
Ohio Agricultural research and Devel	opment	PVPO NUMBER	- "-
Center, Wooster, OH 44691		90000	13
Choose the appropriate response which characterizes th	e variety in the features describe	d below. When the number of	significant digits
in your answer is fewer than the number of boxes provi	ded, place a zero in the first box	when number is 9 or less (e.g.,	0 9).
Starred characters * are considered fundamental to an a	dequate soybean variety descrip	tion. Other characters should b	e described
when information is available.			
1. SEED SHAPE:	\bigcirc		
			•
\L\ 	W T	•	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		d (L/W ratio > 1.2; L/T ratio = < d (L/T ratio > 1.2; T/W > 1.2)	1.2)
2. SEED COAT COLOR: (Mature Seed)			
	2.75		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Othe	er (Specify)	
			······································
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	en e		
2 1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('N	lebsoy'; 'Gasoy 17')		
	the state of the s		
4. SEED SIZE: (Mature Seed)	•		-
1 6 Grams per 100 seeds	the state of the s	man di santa	and the state of t
5. HILUM COLOR: (Mature Seed)			
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect I	Black 6 = 8lack 7 = Ot	her <i>(Specify)</i>
	en else else else else else else else el	. And the second of the second	Anna anna anna
C 6. COTYLEDON COLOR: (Mature Seed)			
1 = Yellow 2 = Green	en de la companya de La companya de la co	· · · · · · · · · · · · · · · · · · ·	the first of the second of the second
	· · · · · · · · · · · · · · · · · · ·	the state of the s	
77. SEED PROTEIN PEROXIDASE ACTIVITY:	. •		
1 = Low 2 = High			
and the state of t		e de la companya de	the section of the section
8. SEED PROTEIN ELECTROPHORETIC BAND:			
1 = Type A (SP1 ^a) 2 = Type B (SP1	b ₎		,
9. HYPOCOTYL COLOR:			
		NEC 1	
1 = Green only ('Evans'; 'Davis') 2 = Green	with bronze band below cotyledons	('Woodworth'; 'Tracy')	
3 = Light Purple below cotyledons ('Beeson'; 'Pickett' 4 = Dark Purple extending to unifoliate leaves ('Hodgs			in the state of th
10. LEAFLET SHAPE:			
TO BEEN EET STIMPE.	and the second of the second		ŧ
3 1 = Lanceolate 2 = Oval 3 = Ov	ate 4 = Other (Specify)		

FORM LMGS-470-57 (6-83)

(Edition of 2-82 is obsolete.)

11. LEA	FLET SIZE:		
2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corsoy 79'; 'Gasoy 17')	en en en en fan eerste en een en e
12. LEAI	COLOR:		
3	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green ('Corsoy 79'; 'Braxton')	
		the state of the s	
★ 13. FLOV	VER COLOR:	ara kanan kanan menanggalan di kemanggalan di Perunggalan di Perunggalan di Perunggalan di Perunggalan di Peru Perunggalan	
~ <u>1</u>	1 = White 2 2 = Purple	3 = White with purple throat	the state of the total section in
★ 14, POD	COLOR:		
1	1 = Tan 2 = Brown 4 - 1	3 = Black	e en de la materia, pole d
★ 15. PLAN	T PUBESCENCE COLOR:		, the
2	1 = Gray 2 = Brown (Tawny)	a de la companya de La companya de la co	en en filmere
16. PLAN	T TYPES:		
1	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Amcor'; 'Braxton')	
17. PLAN	T HABIT:	· · · · · · · · · · · · · · · · · · ·	
7 18. MATU	3 = Indeterminate ('Nebsoy'; 'Improved Pelis IRITY GROUP: 1 = 000	4 = I	
	To the second support were the source		
	SE REACTION: (Enter 0 = Not Tested; 1 = St	- Managaran Managaran - Managaran Managara - Managaran Managara	
	Bacterial Pustule (Xanthomonas phaseoli var.	· sojensis)	*
	Bacterial Blight (Pseudomonas glycinea)	and the second of the second o	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
* 0		and the state of t	
FUNG	AL DISEASES:		
× 0	Brown Spot (Septoria glycines)		taring and the second s
	Frogeye Leaf Spot (Cercospora sojina)		
* 0	Race 1 0 Race 2 0 Race	e 3 0 Race 4 0 Race 5 Other (Specify)	er i kultur. Periodikan periodikan periodikan
의	Target Spot (Corynespora cassiicola)		
2	Downy Mildew (Peronospora trifoliorum var.	manshurica)	
0	Powdery Mildew (Microsphaera diffusa)		
* 0	Brown Stem Rot (Cephalosporium gregatum)		
0	Stem Canker (Diaporthe phaseolorum var. cau	ulivora)	

19.	DISEAS	SE REACTION	l: (Enter 0 = Not T	ested; 1 = Susceptible; 2 =	Resistant) (Continued)	A Company of the Comp				
	FUN	GAL DISEASE	S: (Continued)							
*		Pod and Stem	n Blight <i>(Diaporthe</i>	phaseolorum var; sojae)						
-	0	Purple Seed S	Stain (<i>Cercospora ki</i>	kuchii)						
	0	Rhizoctonia I	Root Rot (Rhizacta	nia solani)						
		Phytophthora	a Rot (Phytophthor	a megasperma var. sojae)						
*	2	Race 1	2 Race 2	2 Race 3 2	Race 4 2 Race 5	2 Race 6 2 Race 7				
	2	Race 8	2 Race 9	2 Other (Specify) 1	0, 13, 14, 15, 17, 18	,21, 22 (contains Rps ₁ k gene)				
	VIRA	L DISEASES:								
	0	Bud Blight (T	obacco Ringspot V	irus)						
	0	Yellow Mosai	c (Bean Yellow Mos	aic Virus)						
*	0	Cowpea Mosa	nic (Cowpea Chlorot	ic Virus)						
	0	Pod Mottle (B	Bean Pod Mottle Vir	us)						
*	0	Seed Mottle (Soybean Mosaic Vir	rus)						
	NEMA	ATODE DISEA	ASES:							
		Soybean Cyst	Nematode (Heteroe	dera glycines)	·					
*	1	Race 1	I Race 2	1 Race 3 1	Race 4 Other (S)	pecify)				
		Lance Nemato	ode (<i>Hoplolaimus C</i>	olombus)						
*	Southern Root Knot Nematode (Meloidogyne incognita)									
*	★ O Northern Root Knot Nematode (Meloidogyne Hapla)									
		Peanut Root k	Cnot Nematode <i>(Me</i>	loidogyne arenaria)						
	Ť	Reniform Nen	natode <i>(Rotylenchu</i>	lus reniformis)						
		OTHER DISE	ASE NOT ON FOR	M (Specify):						
-										
20. F	HYSIO	LOGICAL RES	SPONSES: (Enter (= Not Tested; 1 = Suscept	ible; 2 = Resistant)					
*		Iron Chlorosis	on Calcareous Soil	in the second se						
		Other (Specify	/)		The second secon					
21. 1	NSECT			ed; 1 = Susceptible; 2 = Re	sistant)					
		Mexican Bean	Beetle (Epilachna v	arivestis)	ika 1238 - Dan Jari Markaran da	orden i de proposition de la comparation del comparation de la com				
			opper <i>(Empoasca fa</i>	bae)	 And the second of the second of					
		Other (Specify	1-		1	···				
22. 1	NDICAT	TE WHICH VA	RIETY MOST CLO	SELY RESEMBLES THA	F SUBMITTED.					
,	CHARA	ACTER	NAME	OF VARIETY	CHARACTER	NAME OF VARIETY				
PI	ant Sha	pe	Hobbit		Seed Coat Luster	Hobbit				
	af Shap		Hobbit		Seed Size	Hobbit				
	eaf Colo		Hobbit	The state of the s	Seed Shape	Hobbit				
L	eaf Size		Hobbit	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Seedling Pigmentation	Hobbit				

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING SCORE	CM PLANT HEIGHT	LEAFLET SIZE SEED CONTENT				SEED SIZE G/100	NO. SEEDS/
grand and second	MATURITY			CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	125	1.3	22	 -	<u> </u>	38.2	22.2	15.6	2.5
Hobbit Name of Similar Variety	124	1.2	20	1000 1000 - 1000 - 1000 1000 - 1000 - 1000	Service of the Service	37.8	22.9	15.7	2.5

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.



Hobbit 87

Exhibit E

Basis of Ownership

Hobbit 87 variety is considered jointly owned by the Ohio Agricultural Research and Development Center of The Ohio State University (OARDC-OSU) and the USDA, Agricultural Research Service (ARS). The basis for this position is (1) the five backcrosses to introduce the ${\rm Rps}_1^{\rm K}$ gene for multiple race resistance to Phytophthora root rot into Hobbit were made at the OARDC, Wooster, OH, from 1979 to 1981 by R. L. Cooper who is a Research Agronomist with the USDA-ARS and Adjunct Professor in the Department of Agronomy, OARDC-OSU (2) the homozygous resistant ${\rm BC}_5{\rm F}_2$ -derived lines were evaluated by Dr. Cooper in 1984 and 1985 and similar lines were composited to from Breeder's Seed of Hobbit 87 in 1986 and (3) the line (HC Hobbit BC) was entered as an Ohio breeding line in Uniform Regional tests in 1986 without claims being made upon it. The seed supply was continuously under the control of OARDC-OSU and USDA-ARS until the spring of 1989 when seed will become publicly available after inspection and tagging as certified seed.

PLANT VARIETY PROTECTION OFFICE

Gentlemen:

Subject: Application No.

Variety and Kind: Soybean, 'Hobbit 87'

As provided in section 83(a) of the Plant Variety Protection Act, 7 U.S.C. 2321, we request that the Certificate on the above variety be issued with a notation on the Certificate that the right to exclude others from selling, offering for sale, reproducing, importing or exporting the variety covered by this Certificate, or using it in producing a hybrid or different variety is <u>waived</u>, except that this waiver shall not apply to breeder's seed, foundation seed, labeling requirements, and blending limitations.

It has been agreed that the Certificate should be issued in the name(s) of:

Ohio Agricultural Research & Development Center, Ohio State

University and USDA-ARS

May 3, 1989

(Date)

Rehard & Coases
(Signature)